

## Křížový díl čistého žlabu



Clean Tray Crosses are used for routing Clean Tray cables in four directions. The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown.

### **VLASTNOSTI**

---

Clean Tray Crosses are used for routing Clean Tray cables in four directions

The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown

## SPECIFIKACE

**Povrchová úprava:** Brushed #3

**Materiál:** Stainless Steel 304

Table 1/1

Katalogové číslo	Typ	Výška	Šířka	Tloušťka
CTS66CSS	Cross Fitting	152mm	152mm	1.27mm
CT44PCSS	Cross Fitting	102mm	102mm	1.27mm
CT46CSS	Cross Fitting	102mm	152mm	1.27mm
CTS46PCSS	Cross Fitting	102mm	152mm	1.27mm
CT44CSS	Cross Fitting	102mm	102mm	1.27mm
CTS46CSS	Cross Fitting	102mm	152mm	1.27mm
CT46PCSS	Cross Fitting	102mm	152mm	1.27mm
CT33PCSS	Cross Fitting	76mm	76mm	1.27mm
CT66CSS	Cross Fitting	152mm	152mm	1.27mm
CT33CSS	Cross Fitting	76mm	76mm	1.27mm
CT66PCSS	Cross Fitting	152mm	152mm	1.27mm
CTS44PCSS	Cross Fitting	102mm	102mm	1.27mm
CT22PCSS	Cross Fitting	51mm	51mm	1.27mm
CTS33CSS	Cross Fitting	76mm	76mm	1.27mm
CTS66PCSS	Cross Fitting	152mm	152mm	1.27mm
CTS44CSS	Cross Fitting	102mm	102mm	1.27mm
CT22CSS	Cross Fitting	51mm	51mm	1.27mm
CTS33PCSS	Cross Fitting	76mm	76mm	1.27mm

## UPOZORNĚNÍ

Produkty nVent musí být instalovány a používány pouze tak, jak je uvedeno v instrukčních listech a materiálech pro školení nVent. Instrukční listy jsou k dispozici na [www.nvent.com](http://www.nvent.com) a od vašeho zástupce zákaznického servisu nVent. Nesprávná instalace, zneužití, nesprávné použití nebo jiný nedostatek úplného dodržování pokynů a varování nVent může způsobit selhání produktu, poškození majetku, vážné zranění osob a smrt a/nebo zrušit vaši záruku.



Naše portfolio silných značek:

**CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE**