


# Kabelklemmer, CAC



Kabelklemmerne holder kablerne på plads og fjerner eventuelle ydre belastninger, hvilket medvirker til at forhindre beskadigelse af udstyret.

## FUNKTIONER

---

Beskrivelse: Til fastgørelse af indgående kabler på CAB- og CABP-montageskiner. Holder kablet på plads og understøtter vægten.

Materiale: Forzinket stål.

Pakke størrelse: 25 klemmer.

Monteringskrav: Tilføj CAB/CABP for at montere kabelklemmerne CAC.

## SPECIFIKATIONER

**Tykkelse:** 2mm  
**Materiale:** Lakeret Stål  
**Finish:** Forzinket Stål

Table 1/1

| Katalognummer | Højde | Bredde | Dybde | Enclosure Material               | Produktfamilie | Cable Diameter Range |
|---------------|-------|--------|-------|----------------------------------|----------------|----------------------|
| CAC0612       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 6 – 12mm             |
| CAC1014       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 10 – 14mm            |
| CAC1216       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 12 – 16mm            |
| CAC1418       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 14 – 18mm            |
| CAC1822       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 18 – 22mm            |
| CAC3842       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 38 – 42mm            |
| CAC3438       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 34 – 38mm            |
| CAC2226       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 22 – 26mm            |
| CAC2630       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 26 – 30mm            |
| CAC4246       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 42 – 46mm            |
| CAC5864       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 58 – 64mm            |
| CAC3034       | 64mm  | 25mm   | 19mm  | Lakeret Stål,<br>Stainless Steel | Free-Standing  | 30 – 34mm            |

## ADVARSEL

nVent-produkter skal kun installeres og anvendes som angivet i nVents produktvejledninger og træningsmaterialer. Vejledninger er tilgængelige på [www.nvent.com](http://www.nvent.com) og hos din nVent kundeservicerepræsentant. Forkert installation, misbrug, fejlanvendelse eller anden undladelse af fuldt ud at følge nVents instruktioner og advarsler kan medføre funktionsfejl, materielle skader, alvorlige personskader eller død og/eller ugyldiggøre din garanti.



Vores kraftfulde portefølje af mærker:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**