

Glasdøre, ADCS



De elektriske komponenter kan ses, når døren er lukket, hvilket holder uautoriseret personale ude og opretholder beskyttelsen mod indtrængning.

FUNKTIONER

Beskrivelse: Til erstatning for standarddøren. Tydelig visning de komponenter, som er installeret inde i skabet. Anvendes med tilbehør fra låseprogrammet.

Materiale: 1.5 mm AISI 304 rustfrit stål. 2 mm til skabe med en højde eller bredde på 600 mm eller derover, 4 mm klart sikkerhedsglas.

Overfladebehandling: 400 slebet rustfrit stål.

Tæthedsgrad: Er i overensstemmelse med IP 55 | TYPE 12, 13, IK 07.

Pakke størrelse: 1 stk. dør.

The glazed door allows the electrical components to be seen while the enclosure's door is closed

The user can monitor the status of the components without the need for opening the enclosure's door maintaining the ingress protection

SPECIFIKATIONER

Tykkelse: 1.5mm
Finish: Poleret
Materiale: Stainless Steel 304

Table 1/1

| Katalognummer | Højde | Bredde | Antal låse | Window Size | Enclosure Material | Produktfamilie |
|---------------|--------|--------|------------|--------------|--------------------|----------------|
| ADCS04030 | 400mm | 300mm | 1 | 259 x 143mm | Lakeret Stål | Wall Mounted |
| ADCS10080 | 1000mm | 800mm | 1 | 859 x 643mm | Lakeret Stål | Wall Mounted |
| ADCS06040 | 600mm | 400mm | 2 | 459 x 243mm | Lakeret Stål | Wall Mounted |
| ADCS06060 | 600mm | 600mm | 2 | 459 x 443mm | Lakeret Stål | Wall Mounted |
| ADCS03624 | 360mm | 240mm | 1 | 219 x 83mm | Lakeret Stål | Wall Mounted |
| ADCS04060 | 400mm | 600mm | 1 | 259 x 443mm | Lakeret Stål | Wall Mounted |
| ADCS08080 | 800mm | 800mm | 2 | 659 x 643mm | Lakeret Stål | Wall Mounted |
| ADCS12080 | 1200mm | 800mm | 1 | 1059 x 643mm | Lakeret Stål | Wall Mounted |
| ADCS06080 | 600mm | 800mm | 2 | 459 x 643mm | Lakeret Stål | Wall Mounted |
| ADCS05040 | 500mm | 400mm | 1 | 359 x 243mm | Lakeret Stål | Wall Mounted |
| ADCS05050 | 500mm | 500mm | 1 | 359 x 343mm | Lakeret Stål | Wall Mounted |
| ADCS04040 | 400mm | 400mm | 1 | 259 x 243mm | Lakeret Stål | Wall Mounted |
| ADCS14080 | 1400mm | 800mm | 1 | 1259 x 643mm | Lakeret Stål | Wall Mounted |
| ADCS08060 | 800mm | 600mm | 2 | 659 x 443mm | Lakeret Stål | Wall Mounted |

YDERLIGERE PRODUKTOPLYSNINGER

* 3-punkts espagnoletlås. Ikke velegnet til AFS.

ADVARSEL

nVent-produkter skal kun installeres og anvendes som angivet i nVents produktvejledninger og træningsmaterialer. Vejledninger er tilgængelige på www.nvent.com og hos din nVent kundeservicerepræsentant. Forkert installation, misbrug, fejlanvendelse eller anden undladelse af fuldt ud at følge nVents instruktioner og advarsler kan medføre funktionsfejl, materielle skader, alvorlige personskader eller død og/eller ugyldiggøre din garanti.



Vores kraftfulde portefølje af mærker:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE