

# RatiopacPRO Complete Desktop Case, Retrofittable Shielding



The nVent SCHROFF RatiopacPRO case provides electronics protection for 19" and individual electronic assemblies. This flexible and robust case is simple to convert from desktop to a 19" rack mount case and includes four different style options. This version of the case provides a sleek design for desktop applications.

## CERTIFICERINGER



## FUNKTIONER

Desktop enclosure with pre-configured components, in accordance to IEC 60297-3-101; prepared for 19" components, e.g. plug-in units and euroboards

Designed for insertion/extractor handles in accordance with IEC 60297-3-102 and IEEE 1101.10 for CompactPCI and VME64x applications

Retrofittable EMC shielding

Version with cover strips

Ventilation slit in base plate

Rear panel perforated

For board depth 160 mm, 220 mm, 280 mm, and 340 mm (depending on case depth)

Conforms with DIN EN 62368-1

## SPECIFIKATIONER

<b>Static Load:</b>	25kg
<b>Product Type:</b>	Case
<b>Type:</b>	Case for 19" Components

**EMC Shielding:** No (Retrofittable)

**Produktfamilie:** RatiopacPRO

Table 1/3

Katalognummer	Rack Height	Rack Width	Dybde	Pakke mængde	Usable Height	Usable Width
24572-016	6U	63HP	315.5mm	1	245.7mm	326mm
24572-005	3U	84HP	315.5mm	1	112.3mm	432mm
24572-006	3U	84HP	375.5mm	1	112.3mm	432mm
24572-002	3U	42HP	255.5mm	1	112.3mm	219mm
24572-007	3U	84HP	435.5mm	1	112.3mm	432mm
24572-015	6U	42HP	315.5mm	1	245.7mm	219mm
24572-004	3U	63HP	315.5mm	1	112.3mm	326mm
24572-017	6U	84HP	315.5mm	1	245.7mm	432mm
24572-018	6U	84HP	375.5mm	1	245.7mm	432mm
24572-003	3U	42HP	315.5mm	1	112.3mm	219mm
24572-001	3U	28HP	255.5mm	1	112.3mm	148mm
24572-019	6U	84HP	435.5mm	1	245.7mm	432mm

Table 2/3

Katalognummer	Front Frame Construction	Cooling Option	Complies With	Finish	Højde	Materiale
24572-016	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	265.9mm	Aluminium
24572-005	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium
24572-006	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium

Katalognummer	Front Frame Construction	Cooling Option	Complies With	Finish	Højde	Materiale
24572-002	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium
24572-007	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium
24572-015	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	265.9mm	Aluminium
24572-004	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium
24572-017	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	265.9mm	Aluminium
24572-018	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	265.9mm	Aluminium
24572-003	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium

Katalognummer	Front Frame Construction	Cooling Option	Complies With	Finish	Højde	Materiale
24572-001	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	132.6mm	Aluminium
24572-019	Side Trim, Horizontal Rails	No	IEC 60297-3-101, IEC 60297-3-102, IEEE 1101.1, IEEE 1101.10, IEEE 1101.11	Passivated, Struktur Pulvermaling	265.9mm	Aluminium

Table 3/3

Katalognummer	Beskyttelsesgrad	Bredde
24572-016	IP20	342.4mm
24572-005	IP20	448.9mm
24572-006	IP20	448.9mm
24572-002	IP20	235.5mm
24572-007	IP20	448.9mm
24572-015	IP20	235.5mm
24572-004	IP20	342.4mm
24572-017	IP20	448.9mm
24572-018	IP20	448.9mm
24572-003	IP20	235.5mm
24572-001	IP20	164.4mm
24572-019	IP20	448.9mm

## YDERLIGERE PRODUKTOPLYSNINGER

Modifications (special colours or sizes).

Custom solutions (cut-outs in top cover, base plate or side panels).

Assembly service from 1 piece.

## ADVARSEL

nVent-produkter skal kun installeres og anvendes som angivet i nVents produktvejledninger og træningsmaterialer. Vejledninger er tilgængelige på [www.nvent.com](http://www.nvent.com) og hos din nVent kundeservicerepræsentant. Forkert installation, misbrug, fejlanvendelse eller anden unladelse af fuldt ud at følge nVents instruktioner og advarsler kan medføre funktionsfejl, materielle skader, alvorlige personskader eller død og/eller ugyldiggøre din garanti.

### North America

All locations  
+1.763.422.2661  
Chat with us:  
[nvent.com/schroff](https://nvent.com/schroff)

### Europe

Straubenhardt, Germany  
+49.7082.794.0  
Betschdorf, France  
+33.3.88.90.64.90  
Warsaw, Poland  
+48.22.209.98.35  
Assago, Italy  
+39.02.932.7141  
Chat with us:  
[nvent.com/schroff](https://nvent.com/schroff)

### Asia

Shanghai, China  
+86.21.2412.6943  
Qingdao, China  
+86.532.8771.6101  
Singapore  
+65.6768.5800  
Shin-Yokohama, Japan  
+81.45.476.0271  
Chat with us:  
[nvent.com/schroff](https://nvent.com/schroff)

### Middle East & India

Dubai, United Arab  
Emirates  
+971.4.378.1700  
Bangalore, India  
+91.80.6715.2001  
Istanbul, Turkey  
+90.216.250.7374  
Chat with us:  
[nvent.com/schroff](https://nvent.com/schroff)



Vores kraftfulde portefølje af mærker:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**