

# VJ Mounting Plate

VJ Mounting Plates allow convenient component mounting inside VJ enclosures.



## FEATURES

---

Allows convenient component mounting inside VJ enclosures

## SPECIFICATIONS

Table 1/2

Catalog Number	Article Number	Height	Width	Depth	Material	Finish
MP2016A	MP2016A	508mm	406mm	2mm	Aluminum	Mill
MP1210A	MP1210A	305mm	254mm	2mm	Aluminum	Mill
MP1008A	MP1008A	254mm	203mm	2mm	Aluminum	Mill
MP1614A	MP1614A	406mm	356mm	2mm	Aluminum	Mill
MP3030A	MP3030A	762mm	762mm	2mm	Aluminium	
MP3024A	MP3024A	762mm	610mm	2mm	Aluminum	Mill
MP1816A	MP1816A	457mm	406mm	2mm	Aluminum	Mill
MP1412A	MP1412A	356mm	305mm	2mm	Aluminum	Mill
MP806A	MP806A	203mm	152mm	2mm	Aluminum	Mill
MP606A	MP606A	152mm	152mm	2mm	Aluminum	Mill
MP1412S	MP1412S	356mm	305mm	2.5mm	Mild Steel	Powder Coated
MP606S	MP606S	152mm	152mm	2.5mm	Mild Steel	Powder Coated
MP1210S	MP1210S	305mm	254mm	2.5mm	Mild Steel	Powder Coated
MP3030S	MP3030S	762mm	762mm	2.5mm	Mild Steel	Power Coated
MP3024S	MP3024S	762mm	610mm	2.5mm	Mild Steel	Powder Coated
MP1008S	MP1008S	254mm	203mm	2.5mm	Mild Steel	Powder Coated
MP1614S	MP1614S	406mm	356mm	2.5mm	Mild Steel	Powder Coated
MP1816S	MP1816S	457mm	406mm	2.5mm	Mild Steel	Powder Coated
MP806S	MP806S	203mm	152mm	2.5mm	Mild Steel	Powder Coated
MP2016S	MP2016S	508mm	406mm	2.5mm	Mild Steel	Powder Coated

Table 2/2

Catalog Number	Article Number	Height	Width	Depth	Material	Finish
MP1614N	MP1614N	406mm	356mm	6.4mm	Non-Metallic	Smooth Matte
MP2016N	MP2016N	508mm	406mm	6.4mm	Non-Metallic	Smooth Matte
MP1008N	MP1008N	254mm	203mm	6.4mm	Non-Metallic	Smooth Matte
MP1412N	MP1412N	356mm	305mm	6.4mm	Non-Metallic	Smooth Matte
MP3024N	MP3024N	762mm	610mm	6.4mm	Non-Metallic	Smooth Matte
MP806N	MP806N	203mm	152mm	6.4mm	Non-Metallic	Smooth Matte
MP1210N	MP1210N	305mm	254mm	6.4mm	Non-Metallic	Smooth Matte
MP1816N	MP1816N	457mm	406mm	6.4mm	Non-Metallic	Smooth Matte
MP3030N	MP3030N	762mm	762mm	6.4mm	Non-Metallic	Smooth Matte
MP606N	MP606N	152mm	152mm	6.4mm	Non-Metallic	Smooth Matte

## WARNING

---

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

**CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE**