

PCF Solar Shield

PCF Solar Shield has a sloped surface and is installed on top of the enclosure.

FEATURES

One per package

Includes mounting hardware

SPECIFICATIONS

Finish: Brushed #4

Material: Stainless Steel 304

Table 1/1

| Catalog Number | Thickness |
|----------------|-----------|
| PCTC6042S030S | 1.5mm |
| PCTC4022S030S | 1.5mm |
| PCTC4032S030S | 1.5mm |
| PCTC4015S030S | 1.5mm |
| PCTC5022S030S | 1.5mm |
| PCTC5032S030S | 1.5mm |
| PCTC3022S030S | 1.5mm |
| PCTC6022S030S | 1.5mm |
| PCTC3015S030S | 1.5mm |
| PCTC6032S030S | 1.5mm |
| PCTC2515S030S | 1.5mm |
| PCTC8022S030S | 1.5mm |
| PCTC9042S030S | 1.5mm |
| PCTC1242S030S | 1.5mm |
| PCTC1032S030S | 1.5mm |
| PCTC8032S030S | 1.5mm |
| PCTC8042S030S | 1.5mm |
| PCTC9032S030S | 1.5mm |
| PCTC1042S030S | 1.5mm |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE