

## CleanTray Cross



Clean Tray Crosses are used for routing Clean Tray cables in four directions. The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown.

### FEATURES

---

Clean Tray Crosses are used for routing Clean Tray cables in four directions

The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown

## SPECIFICATIONS

---

**Finish:** Brushed #3

**Material:** Stainless Steel 304

Table 1/1

Catalog Number	Article Number	Type	Height	Width	Thickness
CTS66CSS	16608	Cross Fitting	152mm	152mm	1.27mm
CT44PCSS	16575	Cross Fitting	102mm	102mm	1.27mm
CT46CSS	15794	Cross Fitting	102mm	152mm	1.27mm
CTS46PCSS	16651	Cross Fitting	102mm	152mm	1.27mm
CT44CSS	15793	Cross Fitting	102mm	102mm	1.27mm
CTS46CSS	16607	Cross Fitting	102mm	152mm	1.27mm
CT46PCSS	16576	Cross Fitting	102mm	152mm	1.27mm
CT33PCSS	16574	Cross Fitting	76mm	76mm	1.27mm
CT66CSS	15795	Cross Fitting	152mm	152mm	1.27mm
CT33CSS	15792	Cross Fitting	76mm	76mm	1.27mm
CT66PCSS	16577	Cross Fitting	152mm	152mm	1.27mm
CTS44PCSS	16648	Cross Fitting	102mm	102mm	1.27mm
CT22PCSS	16573	Cross Fitting	51mm	51mm	1.27mm
CTS33CSS	16605	Cross Fitting	76mm	76mm	1.27mm
CTS66PCSS	16652	Cross Fitting	152mm	152mm	1.27mm
CTS44CSS	16606	Cross Fitting	102mm	102mm	1.27mm
CT22CSS	15791	Cross Fitting	51mm	51mm	1.27mm
CTS33PCSS	16647	Cross Fitting	76mm	76mm	1.27mm

## WARNING

---

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**