

MTCA.4 System for 12 Double Full-Size AMC Modules



The system is designed for high-performance, high availability applications. The hot-swap fan modules with EMMC in pull configuration ensure that the front and rear slots are properly cooled. The fan speed is adjustable via the MCH. The separate JSM installation space prevents an AMC slot from being occupied by a JTAG module. The system can take up to four power modules to ensure a sufficient power supply for demanding applications. The backplane features clock and trigger lines.

CERTIFICATIONS



FEATURES

In accordance with MTCA.4 R1.0 specification

84 HP system for 12 double Full-Size AdvancedMC modules, 2 Single Full-Size MCHs, and 4 / 2 Single Full-Size power modules

6 rear transition module slots for Double Full-Size RTMs

1 Single Full-Size slot for a JTAG switch module (JSM)

Backplane with dual-star topology

Optional fan speeds for front and rear sections can be separately adjusted via the MCH

2 hot-swap fan modules with cooling unit manager (CU EMMC)

Air filter accessible from the front

SPECIFICATIONS

Table 1/3

| Catalog Number | Product Type | Number of Slots | Type | Backplane Type | Data Transfer | Power per Slot |
|----------------|--------------|-----------------|------|----------------|---------------|----------------|
|----------------|--------------|-----------------|------|----------------|---------------|----------------|

| | | | | | | |
|-----------|--------|----|----------------|--------------------------------|-------------------|-----|
| 11890-170 | System | 12 | 19" Rack Mount | MTCA.4 Dual Star Topology, JSM | 40 GbE, PCIe Gen3 | 80W |
| 11890-156 | System | 12 | 19" Rack Mount | CMS Dual Star Topology, JSM | 40 GbE, PCIe Gen3 | 80W |
| 11890-152 | System | 12 | 19" Rack Mount | MTCA.4 Dual Star Topology, JSM | 40 GbE, PCIe Gen3 | 80W |
| 11890-119 | System | 12 | 19" Rack Mount | CMS Dual Star Topology, JSM | 40 GbE, PCIe Gen3 | 80W |

Table 2/3

| Catalog Number | Airflow Direction | Rack Height | Power Supply Type | Power Supply Included | Rear I/O | Complies With |
|----------------|-------------------|-------------|-----------------------------|-----------------------|----------|-------------------|
| 11890-170 | Front to Rear | 9U | 2 x (4) Single Full-size PM | No | Yes | PICMG MTCA.4 R1.0 |
| 11890-156 | Front to Rear | 9U | 2 x (4) Single Full-size PM | No | Yes | PICMG MTCA.4 R1.0 |
| 11890-152 | Bottom to Top | 7U | 2 x (4) Single Full-size PM | No | Yes | PICMG MTCA.4 R1.0 |
| 11890-119 | Bottom to Top | 7U | 2 x (4) Single Full-size PM | No | Yes | PICMG MTCA.4 R1.0 |

Table 3/3

| Catalog Number | Depth | Package Quantity |
|----------------|-------|------------------|
| 11890-170 | 373mm | 1 |
| 11890-156 | 373mm | 1 |
| 11890-152 | 373mm | 1 |
| 11890-119 | 373mm | 1 |

ADDITIONAL PRODUCT DETAILS

2 Power Supplies are required to operate the system.

Modified systems available on request.

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

All locations

+1.763.422.2661

Chat with us:

nvent.com/schroff

Europe

Straubenhardt, Germany

+49.7082.794.0

Betschdorf, France

+33.3.88.90.64.90

Warsaw, Poland

+48.22.209.98.35

Assago, Italy

+39.02.932.7141

Chat with us:

nvent.com/schroff

Asia

Shanghai, China

+86.21.2412.6943

Qingdao, China

+86.532.8771.6101

Singapore

+65.6768.5800

Shin-Yokohama, Japan

+81.45.476.0271

Chat with us:

nvent.com/schroff

Middle East & India

Dubai, United Arab

Emirates

+971.4.378.1700

Bangalore, India

+91.80.6715.2001

Istanbul, Turkey

+90.216.250.7374

Chat with us:

nvent.com/schroff



Our powerful portfolio of brands:

CADDY

ERICO

HOFFMAN

ILSCO

SCHROFF

TRACHTE