

## Plinths, MSNS



The plinth allows for cabling without any restrictions in accordance with the VDE 0113 standard. Installing cables is made easy as the plinth creates extra space underneath the console.

### FEATURES

---

Description: Allowing cabling without any restrictions and in accordance with the VDE 0113 standard. The plinth consists of four corner pieces with removable plates. Available 100 mm and 200 mm high.

Material: Corner pieces 3 mm and panels 1.5 mm AISI 304 pre-grained stainless steel.

Finish: 400 pre-grained stainless steel.

Pack quantity: 1 plinth with mounting material.

## SPECIFICATIONS

**Thickness:** 1.5mm  
**Finish:** Brushed  
**Material:** Stainless Steel 304

Table 1/1

| Catalog Number | Height | Width  | Depth | Product Family          |
|----------------|--------|--------|-------|-------------------------|
| MSNS2064       | 200mm  | 600mm  | 400mm | Human Machine Interface |
| MSNS2085       | 200mm  | 800mm  | 500mm | Human Machine Interface |
| MSNS1105       | 100mm  | 1000mm | 500mm | Human Machine Interface |
| MSNS2105       | 200mm  | 1000mm | 500mm | Human Machine Interface |
| MSNS1085       | 100mm  | 800mm  | 500mm | Human Machine Interface |
| MSNS1125       | 100mm  | 1200mm | 500mm | Human Machine Interface |
| MSNS2125       | 200mm  | 1200mm | 500mm | Human Machine Interface |
| MSNS1064       | 100mm  | 600mm  | 400mm | Human Machine Interface |
| MSNS2065       | 200mm  | 600mm  | 500mm | Human Machine Interface |
| MSNS1084       | 100mm  | 800mm  | 400mm | Human Machine Interface |
| MSNS2084       | 200mm  | 800mm  | 400mm | Human Machine Interface |
| MSNS2124       | 200mm  | 1200mm | 400mm | Human Machine Interface |
| MSNS1065       | 100mm  | 600mm  | 500mm | Human Machine Interface |
| MSNS1124       | 100mm  | 1200mm | 400mm | Human Machine Interface |
| MSNS2104       | 200mm  | 1000mm | 400mm | Human Machine Interface |
| MSNS1104       | 100mm  | 1000mm | 400mm | Human Machine Interface |

## ADDITIONAL PRODUCT DETAILS

For consoles 1600 mm wide use 2 x 800 mm wide plinth.

## WARNING

---

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**