


APO Mounting Plate



APO Mounting Plates allow convenient component mounting inside APO enclosures.

FEATURES

Convenient component mounting inside APO enclosures

Available in three materials, aluminum, steel and non-metallic

SPECIFICATIONS

Table 1/2

| Catalog Number | Article Number | Height | Width | Depth | Material | Finish |
|----------------|----------------|--------|--------|--------|--------------|--------------------|
| BP1207S | BP1207S | 9in | 5.5in | 0.06in | Mild Steel | Powder Coated |
| BP2414S | BP2414S | 20.7in | 12.8in | 0.06in | Mild Steel | Powder Coated |
| BP1412S | BP1412S | 11.7in | 10in | 0.06in | Mild Steel | Powder Coated |
| BP1912S | BP1912S | 16.3in | 10in | 0.06in | Mild Steel | Powder Coated |
| BP706S | BP706S | 5.5in | 5.5in | 0.06in | Mild Steel | Powder Coated |
| BP2412S | BP2412S | 20.7in | 10in | 0.06in | Mild Steel | Powder Coated |
| BP2212S | BP2212S | 19in | 10in | 0.06in | Mild Steel | Powder Coated |
| BP1212S | BP1212S | 9in | 9in | 0.06in | Mild Steel | Powder Coated |
| BP2424S | BP2424S | 20.7in | 21.9in | 0.06in | Mild Steel | Powder Coated |
| BP2424A | BP2424A | 20.7in | 21.9in | 0.08in | Aluminum | Mill |
| BP2412A | BP2412A | 20.7in | 10in | 0.08in | Aluminum | Mill |
| BP1212A | BP1212A | 9in | 9in | 0.08in | Aluminum | Mill |
| BP2414A | BP2414A | 20.7in | 12.8in | 0.08in | Aluminum | Mill |
| BP1412A | BP1412A | 11.7in | 10in | 0.08in | Aluminum | Mill |
| BP2212A | BP2212A | 19in | 10in | 0.08in | Aluminum | Mill |
| BP1912A | BP1912A | 16.3in | 10in | 0.08in | Aluminum | Mill |
| BP706A | BP706A | 5.5in | 5.5in | 0.08in | Aluminum | Mill |
| BP1207A | BP1207A | 9in | 5.5in | 0.08in | Aluminum | Mill |
| BP1207N | BP1207N | 9in | 5.5in | 0.19in | Non-Metallic | Natural Unfinished |
| BP1412N | BP1412N | 11.7in | 10in | 0.19in | Non-Metallic | Natural Unfinished |

Table 2/2

| Catalog Number | Article Number | Height | Width | Depth | Material | Finish |
|----------------|----------------|--------|--------|--------|--------------|--------------------|
| BP2412N | BP2412N | 20.7in | 10in | 0.19in | Non-Metallic | Natural Unfinished |
| BP2424N | BP2424N | 20.7in | 21.9in | 0.19in | Non-Metallic | Natural Unfinished |
| BP2212N | BP2212N | 19in | 10in | 0.19in | Non-Metallic | Natural Unfinished |
| BP2414N | BP2414N | 20.7in | 12.8in | 0.19in | Non-Metallic | Natural Unfinished |
| BP706N | BP706N | 5.5in | 5.5in | 0.19in | Non-Metallic | Natural Unfinished |
| BP1212N | BP1212N | 9in | 9in | 0.19in | Non-Metallic | Natural Unfinished |

| Catalog Number | Article Number | Height | Width | Depth | Material | Finish |
|----------------|----------------|--------|-------|--------|--------------|--------------------|
| BP1912N | BP1912N | 16.3in | 10in | 0.19in | Non-Metallic | Natural Unfinished |

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE