


# Polysafe Mounting Plate



PolySafe Mounting Plates allow convenient component mounting inside PolySafe enclosures.

## FEATURES

---

Convenient component mounting inside APO enclosures

Available in three materials, aluminum, steel and non-metallic

## SPECIFICATIONS

Table 1/2

Catalog Number	Article Number	Height	Width	Depth	Material	Finish
PSBP32S	PSBP32S	25.2in	15.35in	0.06in	Mild Steel	Powder Coated
PSBP44S	PSBP44S	35.04in	35.04in	0.06in	Mild Steel	Powder Coated
PSBP33S	PSBP33S	25.2in	25.2in	0.06in	Mild Steel	Powder Coated
PSBP43S	PSBP43S	35.04in	25.2in	0.06in	Mild Steel	Powder Coated
PSBP42S	PSBP42S	35.04in	15.35in	0.06in	Mild Steel	Powder Coated
PSBP53S	PSBP53S	44.88in	44.88in	0.06in	Mild Steel	Powder Coated
PSBP22S	PSBP22S	15.35in	15.35in	0.06in	Mild Steel	Powder Coated
PSBP53A	PSBP53A	44.88in	44.88in	0.08in	Aluminum	Mill
PSBP32A	PSBP32A	25.2in	15.35in	0.08in	Aluminum	Mill
PSBP33A	PSBP33A	25.2in	25.2in	0.08in	Aluminum	Mill
PSBP43A	PSBP43A	35.04in	25.2in	0.08in	Aluminum	Mill
PSBP44A	PSBP44A	35.04in	35.04in	0.08in	Aluminum	Mill
PSBP42A	PSBP42A	35.04in	15.35in	0.08in	Aluminum	Mill
PSBP22A	PSBP22A	15.35in	15.35in	0.08in	Aluminum	Mill
PSBP32N	PSBP32N	25.2in	15.35in	0.19in	Non-Metallic	Natural Unfinished
PSBP43N	PSBP43N	35.04in	25.2in	0.19in	Non-Metallic	Natural Unfinished
PSBP53N	PSBP53N	44.88in	44.88in	0.19in	Non-Metallic	Natural Unfinished
PSBP33N	PSBP33N	25.2in	25.2in	0.19in	Non-Metallic	Natural Unfinished
PSBP22N	PSBP22N	15.35in	15.35in	0.19in	Non-Metallic	Natural Unfinished
PSBP44N	PSBP44N	35.04in	35.04in	0.19in	Non-Metallic	Natural Unfinished

Table 2/2

Catalog Number	Article Number	Height	Width	Depth	Material	Finish
PSBP42N	PSBP42N	35.04in	15.35in	0.19in	Non-Metallic	Natural Unfinished

## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:

**CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE**