

CleanTray Straight Section Splice



Clean Tray Straight section splices are used for connecting two fittings with tabs. Available with 20-degree slope in some sizes. The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown.

FUNKSJONER

Clean Tray Straight section splices are used for connecting two fittings with tabs

Available with 20-degree slope in some sizes

The Clean Tray stainless steel system is designed to protect rated cabling in applications that require frequent washdown

SPESIFIKASJONER

Overflate: Børstet nr. 3

Materiale: Rustfritt stål 304

Table 1/1

Katalognummer	Type	Høyde	Bredde	Dybde	Tykkelse
CT22PSPSS	Nippel	51mm	51mm	152mm	1.27mm
CT22SPSS	Nippel	51mm	51mm	152mm	1.27mm
CTS33PSPSS	Nippel	76mm	76mm	152mm	1.27mm
CT66SPSS	Nippel	152mm	152mm	152mm	1.27mm
CTS33SPSS	Nippel	76mm	76mm	152mm	1.27mm
CTS46PSPSS	Nippel	102mm	152mm	152mm	1.27mm
CT33PSPSS	Nippel	76mm	76mm	152mm	1.27mm
CT66PSPSS	Nippel	152mm	152mm	152mm	1.27mm
CTS66PSPSS	Nippel	152mm	152mm	152mm	1.27mm
CT33SPSS	Nippel	76mm	76mm	152mm	1.27mm
CT46SPSS	Nippel	102mm	152mm	152mm	1.27mm
CTS66SPSS	Nippel	152mm	152mm	152mm	1.27mm
CTS44SPSS	Nippel	102mm	102mm	152mm	1.27mm
CTS44PSPSS	Nippel	102mm	102mm	152mm	1.27mm
CT44PSPSS	Nippel	102mm	102mm	152mm	1.27mm
CT46PSPSS	Nippel	102mm	152mm	152mm	1.27mm
CTS46SPSS	Nippel	102mm	152mm	152mm	1.27mm
CT44SPSS	Nippel	102mm	102mm	152mm	1.27mm

ADVARSEL

nVent-produkter må installeres og brukes bare som beskrevet i nVent sine instruksjonsark og opplæringsmaterieill. Instruksjonsark er tilgjengelig på www.nvent.com og fra din nVent kundeservice-representant. Ukorrekt installasjon, misbruk, feilaktig anvendelse eller annen manglende etterlevelse av nVent sine instruksjoner og advarsler kan føre til produktfeil, skade på eiendom, alvorlige personskader og død og/eller gjøre garantien ugyldig.



Vår solide portefølje av merkevarer:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE