

Interscale 19" Rack Mount Chassis, Perforated

Flexible 19" Chassis with integrated EMC protection and perforated side. Based on the nVent SCHROFF Interscale platform and developed in accordance with IEC 60297-3-109.



CERTIFICATIONS



CARACTERISTICAS

Modular desktop case consisting of 4 assembled parts, with perforated sides

Developed according to IEC 60297-3-109 (under progress at IEC)

Integrated EMC protection

Ingress protection up to IP 20

Color RAL 7016

Modified or customized cases upon request

ESPECIFICAÇÕES

Material:	Aço; Alumínio
Família de produtos:	Interscale
Tipo:	Perforated
Product Type:	Small Form Factor Case
EMC Shielding:	Sim

Table 1/2

Número de catálogo	Rack Height	Profundidade	Quantidade por embalagem	Usable Width	Instalação	Em conformidade com
14826-105	1U	221mm	1	444mm	Rack	IEC 60297-3-100
14826-107	1U	310mm	1	444mm	Rack	IEC 60297-3-100
14826-307	3U	310mm	1	444mm	Rack	IEC 60297-3-100
14826-305	3U	221mm	1	444mm	Rack	IEC 60297-3-100
14826-207	2U	310mm	1	444mm	Rack	IEC 60297-3-100
14826-205	2U	221mm	1	444mm	Rack	IEC 60297-3-100

Table 2/2

Número de catálogo	Acabamento
14826-105	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado
14826-107	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado
14826-307	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado
14826-305	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado
14826-207	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado
14826-205	Aluminum-Zinc Plated, Pintura electrostática com Acabamento Texturado

AVISO

Os produtos nVent devem ser instalados e utilizados apenas conforme indicado nas fichas de instrução do produto e materiais de treinamento da nVent. As fichas de instrução estão disponíveis em www.nVent.com e com nossos representantes de atendimento ao cliente nVent. A instalação inadequada, uso incorreto, aplicação incorreta ou outra falha qualquer em seguir completamente as instruções e avisos da nVent podem levar ao mau funcionamento do produto, danos à propriedade, lesões corporais graves e morte, e/ou anular sua garantia.

North America

All locations

+1.763.422.2661

Chat with us:

nvent.com/schroff

Europe

Straubenhardt, Germany

+49.7082.794.0

Betschdorf, France

+33.3.88.90.64.90

Warsaw, Poland

+48.22.209.98.35

Assago, Italy

+39.02.932.7141

Chat with us:

nvent.com/schroff

Asia

Shanghai, China

+86.21.2412.6943

Qingdao, China

+86.532.8771.6101

Singapore

+65.6768.5800

Shin-Yokohama, Japan

+81.45.476.0271

Chat with us:

nvent.com/schroff

Middle East & India

Dubai, United Arab

Emirates

+971.4.378.1700

Bangalore, India

+91.80.6715.2001

Istanbul, Turkey

+90.216.250.7374

Chat with us:

nvent.com/schroff



O nosso forte portefólio de marcas:

CADDY

ERICO

HOFFMAN

ILSCO

SCHROFF

TRACHTE