

# Cable to Cable, Rail

## Data Solutions



nVent ERICO Cadweld applications for railway properties utilize the nVent ERICO Cadweld Plus F80 and the nVent ERICO Cadweld F80 welding material alloys. nVent ERICO Cadweld exothermically welded connections are engineered to provide a permanent, molecular bond that will not loosen or corrode, enabling connection of dissimilar materials. The connections are designed to perform for the life of the conductor and/or installation. The nVent ERICO Cadweld connection has a current carrying capacity equal to or greater than that of the conductor and will withstand repeated fault currents without failing during operation. Once completed, installers can clearly ensure quality by visually inspecting the new connection.

### CARACTERISTICI

Forms a permanent, low resistance connection

Provides a molecular bond

nVent ERICO Cadweld Exothermic Connections are rated with the same current capacity as the conductor

Portable installation equipment with no external source of power required

Installers can be easily trained to make nVent ERICO Cadweld Exothermic Connections

Connections can be visually inspected

### SPECIFICAȚII

Table 1/5

| Număr de catalog | Mold Family    | Conductor 1    | Conductor 1 Outer Diameter, Nominal | Conductor 2   | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|----------------|-------------------------------------|---------------|-------------------------------------|
| PB10PA1G1G       | PA Mold Family | #6 Solid       | 4.11mm                              | #6 Solid      | 4.11mm                              |
| SB10SS1H1G       | SS Mold Family | #6 Concentric  | 4.67mm                              | #6 Solid      | 4.11mm                              |
| SB02SS6          | SS Mold Family | #6 Solid       | 4.11mm                              | #6 Solid      | 4.11mm                              |
| PB10SS2Q1H       | SS Mold Family | 4/0 Concentric | 13.41mm                             | #6 Concentric | 4.67mm                              |
| PB20TA2Q1H       | TA Mold Family | 4/0 Concentric | 13.41mm                             | #6 Concentric | 4.67mm                              |
| PB20TA2G1H       | TA Mold Family | 2/0 Concentric | 10.62mm                             | #6 Concentric | 4.67mm                              |

| Număr de catalog | Mold Family    | Conductor 1                   | Conductor 1 Outer Diameter, Nominal | Conductor 2                   | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|-------------------------------|-------------------------------------|-------------------------------|-------------------------------------|
| PB10PC2C1H       | PC Mold Family | 1/0 Concentric                | 9.47mm                              | #6 Concentric                 | 4.67mm                              |
| SB10SS1V3        | SS Mold Family | #2 Concentric                 | 7.42mm                              | 3/16 Signal                   | 4.76mm                              |
| PB10SS2Q1L       | SS Mold Family | 4/0 Concentric                | 13.41mm                             | #4 Concentric                 | 5.89mm                              |
| PB20TA2V1L       | TA Mold Family | 250 kcmil Concentric          | 14.61mm                             | #4 Concentric                 | 5.89mm                              |
| PB20TA1L2V       | TA Mold Family | #4 Concentric                 | 5.89mm                              | 250 kcmil Concentric          | 14.61mm                             |
| PB10SS1T         | SS Mold Family | #2 Solid                      | 6.53mm                              | #2 Solid                      | 6.53mm                              |
| PB20TA2Q1V       | TA Mold Family | 4/0 Concentric                | 13.41mm                             | #2 Concentric                 | 7.42mm                              |
| SB10SS1V         | SS Mold Family | #2 Concentric                 | 7.42mm                              | #2 Concentric                 | 7.42mm                              |
| PB10SS1Y         | SS Mold Family | #1 Concentric                 | 8.43mm                              | #1 Concentric                 | 8.43mm                              |
| PB20PAY3Y3       | PA Mold Family | 50 mm <sup>2</sup> Concentric | 8.99mm                              | 50 mm <sup>2</sup> Concentric | 8.99mm                              |
| PB20TAT2Y3       | TA Mold Family | 10.0 mm Ground Wire           | 10mm                                | 50 mm <sup>2</sup> Concentric | 8.99mm                              |
| PB20TA2C2C       | TA Mold Family | 1/0 Concentric                | 9.47mm                              | 1/0 Concentric                | 9.47mm                              |
| PB10SS2C         | SS Mold Family | 1/0 Concentric                | 9.47mm                              | 1/0 Concentric                | 9.47mm                              |
| PB20PP2CPS       | PP Mold Family | 1/0 Concentric                | 9.47mm                              | B154A Plug                    | 12.7mm                              |

Table 2/5

| Număr de catalog | Mold Family    | Conductor 1    | Conductor 1 Outer Diameter, Nominal | Conductor 2    | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|----------------|-------------------------------------|----------------|-------------------------------------|
| PB10SS2Q2C       | SS Mold Family | 4/0 Concentric | 13.41mm                             | 1/0 Concentric | 9.47mm                              |
| PB20PP2G2PS      | PP Mold Family | 2/0 Concentric | 10.62mm                             | B154A Plug     | 12.7mm                              |
| PB10SS2Q2G       | SS Mold Family | 4/0 Concentric | 13.41mm                             | 2/0 Concentric | 10.62mm                             |
| PB10SS2G         | SS Mold Family | 2/0 Concentric | 10.62mm                             | 2/0 Concentric | 10.62mm                             |
| PB20TA2Q2G       | TA Mold Family | 4/0 Concentric | 13.41mm                             | 2/0 Concentric | 10.62mm                             |
| PB99XB2Q2G       | XB Mold Family | 4/0 Concentric | 13.41mm                             | 2/0 Concentric | 10.62mm                             |
| PB20PG2G2G       | PG Mold Family | 2/0 Concentric | 10.62mm                             | 2/0 Concentric | 10.62mm                             |
| PB20TA2G2G       | TA Mold Family | 2/0 Concentric | 10.62mm                             | 2/0 Concentric | 10.62mm                             |
| PB10PT2G2G       | PT Mold Family | 2/0 Concentric | 10.62mm                             | 2/0 Concentric | 10.62mm                             |
| PB10SS2J         | SS Mold Family | 2/0 Ropelay    | 12.19mm                             | 2/0 Ropelay    | 12.19mm                             |
| PB20PPS6PS       | PP Mold Family | 3/0 Composite  | 14.53mm                             | B154A Plug     | 12.7mm                              |
| PB20TAS5S5       | TA Mold Family | 2/0 Composite  | 13.36mm                             | 2/0 Composite  | 13.36mm                             |
| PB10SS2Q         | SS Mold Family | 4/0 Concentric | 13.41mm                             | 4/0 Concentric | 13.41mm                             |
| PB13SV2Q         | SV Mold Family | 4/0 Concentric | 13.41mm                             | 4/0 Concentric | 13.41mm                             |

| Număr de catalog | Mold Family    | Conductor 1          | Conductor 1 Outer Diameter, Nominal | Conductor 2      | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|----------------------|-------------------------------------|------------------|-------------------------------------|
| PB10SS2S2Q       | SS Mold Family | 4/0 Ropelay          | 15.49mm                             | 4/0 Concentric   | 13.41mm                             |
| PB99XB2Q2Q       | XB Mold Family | 4/0 Concentric       | 13.41mm                             | 4/0 Concentric   | 13.41mm                             |
| PB10SS2V2Q       | SS Mold Family | 250 kcmil Concentric | 14.61mm                             | 4/0 Concentric   | 13.41mm                             |
| PB20TA2Q4R       | TA Mold Family | 4/0 Concentric       | 13.41mm                             | 1100/#24 Ropelay | 22.4mm                              |
| PB20TA2Q2Q       | TA Mold Family | 4/0 Concentric       | 13.41mm                             | 4/0 Concentric   | 13.41mm                             |
| PB10PC2Q2S       | PC Mold Family | 4/0 Concentric       | 13.41mm                             | 4/0 Ropelay      | 15.49mm                             |

Table 3/5

| Număr de catalog | Mold Family    | Conductor 1          | Conductor 1 Outer Diameter, Nominal | Conductor 2          | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|----------------------|-------------------------------------|----------------------|-------------------------------------|
| PB10PTS6S6       | PT Mold Family | 3/0 Composite        | 14.53mm                             | 3/0 Composite        | 14.53mm                             |
| PB20TA2V2V       | TA Mold Family | 250 kcmil Concentric | 14.61mm                             | 250 kcmil Concentric | 14.61mm                             |
| PB99XB2V2VM      | XB Mold Family | 250 kcmil Concentric | 14.61mm                             | 250 kcmil Concentric | 14.61mm                             |
| PB10SSS6         | SS Mold Family | 3/0 Composite        | 14.53mm                             | 3/0 Composite        | 14.53mm                             |
| PB10SS2V         | SS Mold Family | 250 kcmil Concentric | 14.61mm                             | 250 kcmil Concentric | 14.61mm                             |
| PB99XB2V2V       | XB Mold Family | 250 kcmil Concentric | 14.61mm                             | 250 kcmil Concentric | 14.61mm                             |
| PB10SS2W2V       | SS Mold Family | 250 kcmil Ropelay    | 19.05mm                             | 250 kcmil Concentric | 14.61mm                             |
| PB10SS2S         | SS Mold Family | 4/0 Ropelay          | 15.49mm                             | 4/0 Ropelay          | 15.49mm                             |
| PB10SS2W3DC      | SS Mold Family | 250 kcmil Ropelay    | 19.05mm                             | 350 kcmil Compact    | 15.88mm                             |
| PB10SSS7         | SS Mold Family | 4/0 Composite        | 16.66mm                             | 4/0 Composite        | 16.66mm                             |
| PB10SS3SS7       | SS Mold Family | 500 kcmil Ropelay    | 26.42mm                             | 4/0 Composite        | 16.66mm                             |
| PB10SS4K2W       | SS Mold Family | 650/#24 Ropelay      | 16.92mm                             | 250 kcmil Ropelay    | 19.05mm                             |
| PB10SS3Q3D       | SS Mold Family | 500 kcmil Concentric | 20.65mm                             | 350 kcmil Concentric | 17.3mm                              |
| PB10SS3S3D       | SS Mold Family | 500 kcmil Ropelay    | 26.42mm                             | 350 kcmil Concentric | 17.3mm                              |
| PB10SS3D         | SS Mold Family | 350 kcmil Concentric | 17.3mm                              | 350 kcmil Concentric | 17.3mm                              |
| PB20TA3QC3QC     | TA Mold Family | 500 kcmil Compact    | 18.62mm                             | 500 kcmil Compact    | 18.62mm                             |

| Număr de catalog | Mold Family    | Conductor 1        | Conductor 1 Outer Diameter, Nominal | Conductor 2       | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|--------------------|-------------------------------------|-------------------|-------------------------------------|
| PB10SS3S3QC      | SS Mold Family | 500 kcmil Ropelay  | 26.42mm                             | 500 kcmil Compact | 18.62mm                             |
| PB10SS3QC3S      | SS Mold Family | 500 kcmil Compact  | 18.62mm                             | 500 kcmil Ropelay | 26.42mm                             |
| PB50PC5A2W       | PC Mold Family | 1000 kcmil Ropelay | 33.78mm                             | 250 kcmil Ropelay | 19.05mm                             |
| PB10SS2W         | SS Mold Family | 250 kcmil Ropelay  | 19.05mm                             | 250 kcmil Ropelay | 19.05mm                             |

Table 4/5

| Număr de catalog | Mold Family    | Conductor 1           | Conductor 1 Outer Diameter, Nominal | Conductor 2           | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|-----------------------|-------------------------------------|-----------------------|-------------------------------------|
| PB10SS3S4M       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 775 kcmil/#24 Ropelay | 19.02mm                             |
| PB50SS5A2W       | SS Mold Family | 1000 kcmil Ropelay    | 33.78mm                             | 250 kcmil Ropelay     | 19.05mm                             |
| PB50PC3S2W       | PC Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 250 kcmil Ropelay     | 19.05mm                             |
| PB20TA2W3S       | TA Mold Family | 250 kcmil Ropelay     | 19.05mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB10SS2W3S       | SS Mold Family | 250 kcmil Ropelay     | 19.05mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB10SS3B3S       | SS Mold Family | 300 kcmil Ropelay     | 20.32mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB10SS3Q         | SS Mold Family | 500 kcmil Concentric  | 20.65mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB10SS3S3Q       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB63TA6H3Q       | TA Mold Family | 2000 kcmil Concentric | 40.94mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB60TA3Q4Y       | TA Mold Family | 500 kcmil Concentric  | 20.65mm                             | 1000 kcmil Concentric | 29.26mm                             |
| PB20TA3Q3Q       | TA Mold Family | 500 kcmil Concentric  | 20.65mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB80PG5T3Q       | PG Mold Family | 1500 kcmil Concentric | 35.86mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB60TA4Y3Q       | TA Mold Family | 1000 kcmil Concentric | 29.26mm                             | 500 kcmil Concentric  | 20.65mm                             |
| PB10SS4R         | SS Mold Family | 1100/#24 Ropelay      | 22.4mm                              | 1100/#24 Ropelay      | 22.4mm                              |
| PB10SS3S3F       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 350 kcmil Ropelay     | 22.35mm                             |
| PB20TA4R4R       | TA Mold Family | 1100/#24 Ropelay      | 22.4mm                              | 1100/#24 Ropelay      | 22.4mm                              |
| PB31TA4T4T       | TA Mold Family | 1325/#24 Ropelay      | 24.94mm                             | 1325/#24 Ropelay      | 24.94mm                             |
| PB50SS4L4T       | SS Mold Family | 750 kcmil Concentric  | 25.35mm                             | 1325/#24 Ropelay      | 24.94mm                             |

| Număr de catalog | Mold Family    | Conductor 1           | Conductor 1 Outer Diameter, Nominal | Conductor 2          | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|-----------------------|-------------------------------------|----------------------|-------------------------------------|
| PB10SS3S4T       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 1325/#24 Ropelay     | 24.94mm                             |
| PB80PA5T4L       | PA Mold Family | 1500 kcmil Concentric | 35.86mm                             | 750 kcmil Concentric | 25.35mm                             |

Table 5/5

| Număr de catalog | Mold Family    | Conductor 1           | Conductor 1 Outer Diameter, Nominal | Conductor 2           | Conductor 2 Outer Diameter, Nominal |
|------------------|----------------|-----------------------|-------------------------------------|-----------------------|-------------------------------------|
| PB50SS4L3S       | SS Mold Family | 750 kcmil Concentric  | 25.35mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB10SS4L         | SS Mold Family | 750 kcmil Concentric  | 25.35mm                             | 750 kcmil Concentric  | 25.35mm                             |
| PB20TA3S3S       | TA Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB50PC3S5A       | PC Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 1000 kcmil Ropelay    | 33.78mm                             |
| PB60TA4N3S       | TA Mold Family | 750 kcmil Ropelay     | 29.34mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB50SS3S4N       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 750 kcmil Ropelay     | 29.34mm                             |
| PB10SS3S         | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 500 kcmil Ropelay     | 26.42mm                             |
| PB10SS3S4X       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 1600/#24 Ropelay      | 27.18mm                             |
| PB50SS3S4Y       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 1000 kcmil Concentric | 29.26mm                             |
| PB50SS3S5A       | SS Mold Family | 500 kcmil Ropelay     | 26.42mm                             | 1000 kcmil Ropelay    | 33.78mm                             |
| PB60TA4X4X       | TA Mold Family | 1600/#24 Ropelay      | 27.18mm                             | 1600/#24 Ropelay      | 27.18mm                             |
| PB50SS4Y         | SS Mold Family | 1000 kcmil Concentric | 29.26mm                             | 1000 kcmil Concentric | 29.26mm                             |
| PB50SS4N         | SS Mold Family | 750 kcmil Ropelay     | 29.34mm                             | 750 kcmil Ropelay     | 29.34mm                             |
| PB50SS5A         | SS Mold Family | 1000 kcmil Ropelay    | 33.78mm                             | 1000 kcmil Ropelay    | 33.78mm                             |
| PB50PC5A5A       | PC Mold Family | 1000 kcmil Ropelay    | 33.78mm                             | 1000 kcmil Ropelay    | 33.78mm                             |
| PB53SS6H         | SS Mold Family | 2000 kcmil Concentric | 40.94mm                             | 2000 kcmil Concentric | 40.94mm                             |

## DETALII SUPLIMENTARE DESPRE PRODUS

For applications such as computer room, tunnel or other low-ventilation areas, specify a smokeless nVent ERICO Cadweld Exolon mold. Add an XL prefix to the standard mold part number when ordering (for example, a PB10GR162G becomes XLPB10GR162G). Similarly, nVent ERICO Cadweld Exolon welding material is also designated by the XL prefix (for example, PB90 becomes XLPB90).

A gap between conductors may be required. See mold tag for more information.

| XXXX-XX-XX-XX-L-M-W |                  |   |
|---------------------|------------------|---|
| XXXX                | Price Key        |   |
| XX                  | Mold Family      |   |
| XX                  | Conductor Code 1 |   |
| XX                  | Conductor Code 2 |   |
| L*                  | Split Crucible   | Crucible section is split on molds designed with horizontal opening for easier cleaning |
| M*                  | Mold Only        |   |
| W*                  | Wear Plates      | Reduce mechanical abrasion of molds at cable entry points                               |

\* Empty if none

## AVERTIZARE

Produsele nVent trebuie instalate și utilizate numai așa cum este indicat în fișele de instrucțiuni și materialele de formare ale nVent. Fișele de instrucțiuni sunt disponibile pe [www.nvent.com](http://www.nvent.com) și de la reprezentantul dvs. de servicii clienți nVent. O instalare incorectă, o utilizare abuzivă, o aplicare greșită sau orice altă lipsă de respectare completă a instrucțiunilor și avertismentelor nVent poate duce la defectarea produsului, la deteriorarea proprietății, la răniri corporale grave și moarte și/sau poate anula garanția dvs.



Portofoliul nostru puternic de mărci:

**CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE**