

Enlogic Basic PDU

Data Solutions



The Basic PDU is a cost-effective, reliable power distribution solution. Premium hydraulic-magnetic circuit breakers operate consistently in high-temperature environments. The Basic PDU offers advanced features, such as color-coded locking IEC outlets, a slim chassis design, and toolless mounting backed by a 5-year hassle-free warranty.

CARACTERISTICI

Black Powder Coated Chassis

IEC 62368 listed. RoHS, and REACH compliant. See drawing for additional information.

SPECIFICAȚII

Table 1/6

| Număr de catalog | Product Family | Type | Product Type | Socket Type | Socket Quantity | Color |
|------------------|----------------|-----------|--------------|--|-----------------|-------|
| EB0860 | Enlogic | Basic PDU | Socket Strip | (24) C13/C15, (24) C13/C15/C19/C 21 | 48 | Black |
| EB09JA | Enlogic | Basic PDU | Socket Strip | (18) C13/C15, (18) C13/C15/C19/C 21 | 36 | Black |
| EB0360 | Enlogic | Basic PDU | Socket Strip | (16) C13/C15 | 20 | Black |

Table 2/6

| Număr de catalog | Switched Outlets | Cable Length | Circuit Breaker | Power Rating | Circuit Breaker Quantity | Interrupt Rating |
|------------------|------------------|--------------|-----------------------|--|--------------------------|------------------|
| EB0860 | No | 3000mm | 20 A, 1-pole, Hy-MagA | 17.3 kVA North America, 22.1 kVA International | 6 | |

| Număr de catalog | Switched Outlets | Cable Length | Circuit Breaker | Power Rating | Circuit Breaker Quantity | InterruptRating |
|------------------|------------------|--------------|-----------------------|--|--------------------------|-----------------|
| EB09JA | No | 1800mm | 20 A, 1-pole, Hy-MagA | 34.6 kVA North America, 43.5 kVA International | 12 | |
| EB0360 | No | 3000mm | 16 A, 1-pole, Hy-Mag | 7.4 kVA | 2 | 5kAIC |

Table 3/6

| Număr de catalog | Nominal Power Output | Nominal Voltage | Number of Output Voltages | Number of Phases | On/Off Switch Included | Amperage (Derated Amperage) |
|------------------|----------------------|-----------------|---------------------------|------------------|------------------------|---|
| EB0860 | 230VAC | 415V | | | No | 30 A (24 A) North America, 32 A International |
| EB09JA | 230VAC | 415V | 36 | | No | 60 A (48 A) North America, 63 A International |
| EB0360 | 230VAC | 230V | 20 | 1 | No | 32 A |

Table 4/6

| Număr de catalog | Output Voltage | Rack Units | Plug Type | Metering Type | Removable Input Cable | Material |
|------------------|----------------|------------|------------------------|---------------|-----------------------|----------|
| EB0860 | 208 – 230VAC | 0U | IEC 60309 530P6/532P6 | None | No | Oțel |
| EB09JA | 208 – 230VAC | 0U | IEC 60309 560P6/563P6 | None | No | Oțel |
| EB0360 | 230VAC | 0U | IEC 60309 332P6 (IP44) | None | No | Oțel |

Table 5/6

| Număr de catalog | Finish | Height | Width | Depth | Weight | Package Quantity |
|------------------|----------------|--------|-------|-------|--------|------------------|
| EB0860 | Vopsit Pulbere | 1490mm | 56mm | 55mm | | 1 |
| EB09JA | Vopsit Pulbere | 965mm | 114mm | 75mm | | 1 |
| EB0360 | Vopsit Pulbere | 817mm | 52mm | 53mm | 3.6kg | 1 |

Table 6/6

| Număr de catalog | Input Cable Length |
|------------------|--------------------|
| EB0860 | 3m |
| EB09JA | 1.8m |

| Număr de catalog | Input Cable Length |
|------------------|--------------------|
| EB0360 | 3m |

DETALII SUPLIMENTARE DESPRE PRODUS

Warranty : nVent Enlogic branded equipment provided shall be free from manufacturing defects for a period of five (5) years from the invoice date to the original purchaser.

AVERTIZARE

Produsele nVent trebuie instalate și utilizate numai așa cum este indicat în fișele de instrucțiuni și materialele de formare ale nVent. Fișele de instrucțiuni sunt disponibile pe www.nvent.com și de la reprezentantul dvs. de servicii clienți nVent. O instalare incorectă, o utilizare abuzivă, o aplicare greșită sau orice altă lipsă de respectare completă a instrucțiunilor și avertismentelor nVent poate duce la defectarea produsului, la deteriorarea proprietății, la răniri corporale grave și moarte și/sau poate anula garanția dvs.



Portofoliul nostru puternic de mărci:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE