

CompacPRO Complete Desktop Case,



???? nVent SCHROFF CompacPRO ??? 19"
????????????????????????????????????????????????????????????



??



??

?? IEC 60297-3-101 ? 19" ????????????

??????????????????

????????????

????????????

??????

??????

IP 20??? IEC 60529 ??

??????????????

GND/???????????? 5.76 ??

?? DIN EN 62368-1

????

□□□□ : □□□

□□ : □□□□ 19" □□□□□□

□□□□ : CompacPRO

Table 1/3

Part No.	Height	Depth	Power	Width	Depth	Weight
14575-155	3U	147.1mm	63HP	364mm	331mm	1
14575-174	3U	147.1mm	84HP	471mm	271mm	1
14575-156	3U	147.1mm	63HP	364mm	391mm	1
14575-135	3U	147.1mm	42HP	257mm	331mm	1
14575-114	3U	147.1mm	28HP	186mm	271mm	1
14575-136	3U	147.1mm	42HP	257mm	391mm	1
14575-178	3U	147.1mm	84HP	471mm	511mm	1
14575-134	3U	147.1mm	42HP	257mm	271mm	1
14575-115	3U	147.1mm	28HP	186mm	331mm	1
14575-154	3U	147.1mm	63HP	364mm	271mm	1
14575-175	3U	147.1mm	84HP	471mm	331mm	1
14575-176	3U	147.1mm	84HP	471mm	391mm	1

Table 2/3

Part No.	Height	Depth	Power	Width	Depth	EMC Class
14575-155	129.3mm	326mm	63HP	364mm	331mm	IEC 60297-3-103
14575-174	129.3mm	432mm	84HP	471mm	271mm	IEC 60297-3-103
14575-156	129.3mm	326mm	63HP	364mm	391mm	IEC 60297-3-103
14575-135	129.3mm	219mm	42HP	257mm	331mm	IEC 60297-3-103
14575-114	129.3mm	148mm	28HP	186mm	271mm	IEC 60297-3-103
14575-136	129.3mm	219mm	42HP	257mm	391mm	IEC 60297-3-103
14575-178	129.3mm	432mm	84HP	471mm	511mm	IEC 60297-3-103
14575-134	129.3mm	219mm	42HP	257mm	271mm	IEC 60297-3-103
14575-115	129.3mm	148mm	28HP	186mm	331mm	IEC 60297-3-103
14575-154	129.3mm	326mm	63HP	364mm	271mm	IEC 60297-3-103
14575-175	129.3mm	432mm	84HP	471mm	331mm	IEC 60297-3-103
14575-176	129.3mm	432mm	84HP	471mm	391mm	IEC 60297-3-103

Table 3/3

???	??	??	????	????
14575-155	???? , ????	□	IP20	30kg
14575-174	???? , ????	□	IP20	30kg
14575-156	???? , ????	□	IP20	30kg
14575-135	???? , ????	□	IP20	30kg
14575-114	???? , ????	□	IP20	30kg
14575-136	???? , ????	□	IP20	30kg
14575-178	???? , ????	□	IP20	30kg
14575-134	???? , ????	□	IP20	30kg
14575-115	???? , ????	□	IP20	30kg
14575-154	???? , ????	□	IP20	30kg
14575-175	???? , ????	□	IP20	30kg
14575-176	???? , ????	□	IP20	30kg

??

???? nVent ?????????????????? nVent ??????? www.nvent.com ??????????? nVent ????????????????????????????????????????? nVent
 ?????????????????????????????????????????????????????????????????????????????????????????????????????????????????????????????????

North America
 All locations
 +1.763.422.2661
 Chat with us:
 nvent.com/schroff

Europe
 Straubenhardt, Germany
 +49.7082.794.0
 Betschdorf, France
 +33.3.88.90.64.90
 Warsaw, Poland
 +48.22.209.98.35
 Assago, Italy
 +39.02.932.7141
 Chat with us:
 nvent.com/schroff

Asia
 Shanghai, China
 +86.21.2412.6943
 Qingdao, China
 +86.532.8771.6101
 Singapore
 +65.6768.5800
 Shin-Yokohama, Japan
 +81.45.476.0271
 Chat with us:
 nvent.com/schroff

Middle East & India
 Dubai, United Arab
 Emirates
 +971.4.378.1700
 Bangalore, India
 +91.80.6715.2001
 Istanbul, Turkey
 +90.216.250.7374
 Chat with us:
 nvent.com/schroff



?????????:
 CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE