



??



??



??

???, ???

???, ?, 2.5 mm, ??????, ??

????

- (D): 2.5mm
- : □
- : □□□□ ; □□
- : □□
- : □□
- : □□□□ (PIU)

Table 1/2

□□□	□□□□	□□□□	□□□□	□□□□	□□	□□□□□□
30847-605	3U	6HP	1	□□□□ □□□□	,	□□□□□□ □□□□
30847-604	3U	5HP	1	□□□□ □□□□	,	□□□□□□ □□□□
30847-626	6U	4HP	1	□□□□ □□□□	,	□□□□□□ □□□□

Part No.	U	HP	Qty	Dimensions (mm)	Weight (kg)	Notes
30847-627	6U	5HP	1	261.8 x 261.8	0.25	
30847-625	6U	3HP	1	261.8 x 261.8	0.15	
30847-628	6U	6HP	1	261.8 x 261.8	0.30	
30847-609	3U	12HP	1	127.0 x 261.8	0.60	
30847-629	6U	7HP	1	261.8 x 261.8	0.35	
30847-603	3U	4HP	1	127.0 x 261.8	0.20	
30847-608	3U	10HP	1	127.0 x 261.8	0.50	
30847-630	6U	8HP	1	261.8 x 261.8	0.40	
30847-607	3U	8HP	1	127.0 x 261.8	0.40	
30847-602	3U	3HP	1	127.0 x 261.8	0.15	
30847-631	6U	10HP	1	261.8 x 261.8	0.50	
30847-632	6U	12HP	1	261.8 x 261.8	0.60	
30847-606	3U	7HP	1	127.0 x 261.8	0.35	

Table 2/2

Part No.	U	HP	IEC 60297-3-101	EMC Class	Height (H)	Width (W)
30847-605	3U	3HP	IEC 60297-3-101	Class B	128.4mm	30.1mm
30847-604	3U	3HP	IEC 60297-3-101	Class B	128.4mm	25mm
30847-626	3U	3HP	IEC 60297-3-101	Class B	261.8mm	20mm
30847-627	3U	3HP	IEC 60297-3-101	Class B	261.8mm	25mm
30847-625	3U	3HP	IEC 60297-3-101	Class B	261.8mm	14.9mm
30847-628	3U	3HP	IEC 60297-3-101	Class B	261.8mm	30.1mm
30847-609	3U	3HP	IEC 60297-3-101	Class B	128.4mm	60.6mm

North America
All locations
+1.763.422.2661
Chat with us:
nvent.com/schroff

Europe
Straubenhardt, Germany
+49.7082.794.0
Betschdorf, France
+33.3.88.90.64.90
Warsaw, Poland
+48.22.209.98.35
Assago, Italy
+39.02.932.7141
Chat with us:
nvent.com/schroff

Asia
Shanghai, China
+86.21.2412.6943
Qingdao, China
+86.532.8771.6101
Singapore
+65.6768.5800
Shin-Yokohama, Japan
+81.45.476.0271
Chat with us:
nvent.com/schroff

Middle East & India
Dubai, United Arab
Emirates
+971.4.378.1700
Bangalore, India
+91.80.6715.2001
Istanbul, Turkey
+90.216.250.7374
Chat with us:
nvent.com/schroff



?????????:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE