

Part Number	Configuration	Units	Dimensions	Power	Capacity	Performance
23001-505	1U	5	6U	1 EDC 1 VME64x	1 1000	4HP
23001-506	1U	6	6U	1 EDC 1 VME64x	1 1000	4HP
23001-507	1U	7	6U	1 EDC 1 VME64x	1 1000	4HP
23001-508	1U	8	6U	1 EDC 1 VME64x	1 1000	4HP
23001-510	1U	10	6U	1 EDC 1 VME64x	1 1000	4HP
23001-511	1U	11	6U	1 EDC 1 VME64x	1 1000	4HP
23001-512	1U	12	6U	1 EDC 1 VME64x	1 1000	4HP
23001-503	1U	3	6U	1 EDC 1 VME64x	1 1000	4HP
23001-515	1U	15	6U	1 EDC 1 VME64x	1 1000	4HP
23001-516	1U	16	6U	1 EDC 1 VME64x	1 1000	4HP
23001-520	1U	20	6U	1 EDC 1 VME64x	1 1000	4HP
23001-521	1U	21	6U	1 EDC 1 VME64x	1 1000	4HP
23001-533	1U	3	6U	1 EDC 1 VME64x	1 1000	4HP
23001-534	1U	4	6U	1 EDC 1 VME64x	1 1000	4HP
23001-535	1U	5	6U	1 EDC 1 VME64x	1 1000	4HP
23001-536	1U	6	6U	1 EDC 1 VME64x	1 1000	4HP
23001-502	1U	2	6U	1 EDC 1 VME64x	1 1000	4HP
23001-537	1U	7	6U	1 EDC 1 VME64x	1 1000	4HP

Table 2/2

Part Number	Configuration	Units	Dimensions	Power	Capacity	Performance
23001-538	1U	8	6U	1 EDC 1 VME64x	1 1000	4HP

Part No.	Series	Units	Form Factor	Configuration	Power	Performance
23001-540	□□	10	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-541	□□	11	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-542	□□	12	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-545	□□	15	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-546	□□	16	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-550	□□	20	6U	□ EDC □ VME64x	□□ 1□□□	4HP
23001-551	□□	21	6U	□ EDC □ VME64x	□□ 1□□□	4HP

Table 1/2

Part No.	Standard	Mounting	Configuration	Height	Quantity
23001-532	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	39.1mm	1
23001-504	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	79.8mm	1
23001-505	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	100.2mm	1
23001-506	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	120.5mm	1
23001-507	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	140.8mm	1
23001-508	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	161.1mm	1
23001-510	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	201.8mm	1
23001-511	DIN 41612 □ VME64x	□□ M4 □□□□□□□□ □□	SMCQ □ 12 □	222mm	1

订货号	标准	螺纹	接口	长度	数量
23001-512	DIN 41612 VME64x	M4 12	SMCQ 12	242.4mm	1
23001-503	DIN 41612 VME64x	M4 12	SMCQ 12	59.5mm	1
23001-515	DIN 41612 VME64x	M4 12	SMCQ 12	303.4mm	1
23001-516	DIN 41612 VME64x	M4 12	SMCQ 12	323.7mm	1
23001-520	DIN 41612 VME64x	M4 12	SMCQ 12	405mm	1
23001-521	DIN 41612 VME64x	M4 12	SMCQ 12	425.3mm	1
23001-533	DIN 41612 VME64x	M4 12	SMCQ 12	59.5mm	1
23001-534	DIN 41612 VME64x	M4 12	SMCQ 12	79.8mm	1
23001-535	DIN 41612 VME64x	M4 12	SMCQ 12	100.2mm	1
23001-536	DIN 41612 VME64x	M4 12	SMCQ 12	120.5mm	1
23001-502	DIN 41612 VME64x	M4 12	SMCQ 12	39.1mm	1
23001-537	DIN 41612 VME64x	M4 12	SMCQ 12	140.8mm	1

Table 2/2

订货号	标准	螺纹	接口	长度	数量
23001-538	DIN 41612 VME64x	M4 12	SMCQ 12	161.1mm	1

