

Part Number	Configuration	Units	Dimensions	Power	Capacity	Performance
23001-505	1U	5	6U	1 EDC 1 VME64x	1 1000	4HP
23001-506	1U	6	6U	1 EDC 1 VME64x	1 1000	4HP
23001-507	1U	7	6U	1 EDC 1 VME64x	1 1000	4HP
23001-508	1U	8	6U	1 EDC 1 VME64x	1 1000	4HP
23001-510	1U	10	6U	1 EDC 1 VME64x	1 1000	4HP
23001-511	1U	11	6U	1 EDC 1 VME64x	1 1000	4HP
23001-512	1U	12	6U	1 EDC 1 VME64x	1 1000	4HP
23001-503	1U	3	6U	1 EDC 1 VME64x	1 1000	4HP
23001-515	1U	15	6U	1 EDC 1 VME64x	1 1000	4HP
23001-516	1U	16	6U	1 EDC 1 VME64x	1 1000	4HP
23001-520	1U	20	6U	1 EDC 1 VME64x	1 1000	4HP
23001-521	1U	21	6U	1 EDC 1 VME64x	1 1000	4HP
23001-533	1U	3	6U	1 EDC 1 VME64x	1 1000	4HP
23001-534	1U	4	6U	1 EDC 1 VME64x	1 1000	4HP
23001-535	1U	5	6U	1 EDC 1 VME64x	1 1000	4HP
23001-536	1U	6	6U	1 EDC 1 VME64x	1 1000	4HP
23001-502	1U	2	6U	1 EDC 1 VME64x	1 1000	4HP
23001-537	1U	7	6U	1 EDC 1 VME64x	1 1000	4HP

Table 2/2

Part Number	Configuration	Units	Dimensions	Power	Capacity	Performance
23001-538	1U	8	6U	1 EDC 1 VME64x	1 1000	4HP

Part No.	Series	Units	Form Factor	Configuration	Power	Performance
23001-540	EDC VME64x	10	6U	EDC VME64x	1000W	4HP
23001-541	EDC VME64x	11	6U	EDC VME64x	1000W	4HP
23001-542	EDC VME64x	12	6U	EDC VME64x	1000W	4HP
23001-545	EDC VME64x	15	6U	EDC VME64x	1000W	4HP
23001-546	EDC VME64x	16	6U	EDC VME64x	1000W	4HP
23001-550	EDC VME64x	20	6U	EDC VME64x	1000W	4HP
23001-551	EDC VME64x	21	6U	EDC VME64x	1000W	4HP

Table 1/2

Part No.	Standard	Mounting	Configuration	Width	Quantity
23001-532	DIN 41612 VME64x	M4	SMCQ 12	39.1mm	1
23001-504	DIN 41612 VME64x	M4	SMCQ 12	79.8mm	1
23001-505	DIN 41612 VME64x	M4	SMCQ 12	100.2mm	1
23001-506	DIN 41612 VME64x	M4	SMCQ 12	120.5mm	1
23001-507	DIN 41612 VME64x	M4	SMCQ 12	140.8mm	1
23001-508	DIN 41612 VME64x	M4	SMCQ 12	161.1mm	1
23001-510	DIN 41612 VME64x	M4	SMCQ 12	201.8mm	1
23001-511	DIN 41612 VME64x	M4	SMCQ 12	222mm	1

Part No.	Standard	Mounting	Dimensions	Length	Quantity
23001-512	DIN 41612 VME64x	M4 12	SMCQ 12	242.4mm	1
23001-503	DIN 41612 VME64x	M4 12	SMCQ 12	59.5mm	1
23001-515	DIN 41612 VME64x	M4 12	SMCQ 12	303.4mm	1
23001-516	DIN 41612 VME64x	M4 12	SMCQ 12	323.7mm	1
23001-520	DIN 41612 VME64x	M4 12	SMCQ 12	405mm	1
23001-521	DIN 41612 VME64x	M4 12	SMCQ 12	425.3mm	1
23001-533	DIN 41612 VME64x	M4 12	SMCQ 12	59.5mm	1
23001-534	DIN 41612 VME64x	M4 12	SMCQ 12	79.8mm	1
23001-535	DIN 41612 VME64x	M4 12	SMCQ 12	100.2mm	1
23001-536	DIN 41612 VME64x	M4 12	SMCQ 12	120.5mm	1
23001-502	DIN 41612 VME64x	M4 12	SMCQ 12	39.1mm	1
23001-537	DIN 41612 VME64x	M4 12	SMCQ 12	140.8mm	1

Table 2/2

Part No.	Standard	Mounting	Dimensions	Length	Quantity
23001-538	DIN 41612 VME64x	M4 12	SMCQ 12	161.1mm	1

???	?????	???????	???????	??	????
23001-540	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	201.8mm	1
23001-541	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	222mm	1
23001-542	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	242.4mm	1
23001-545	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	303.4mm	1
23001-546	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	323.7mm	1
23001-550	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	405mm	1
23001-551	DIN 41612 VME64x	?? M4 ???????	SMCQ 12	425.3mm	1

??????

???????????

??

???? nVent ?????????????????? nVent ??????? www.nvent.com ?????????????? nVent ?????????????????????????????????????? nVent
 ???

North America
 All locations
 +1.763.422.2661
 Chat with us:
 nvent.com/schroff

Europe
 Straubenhardt, Germany
 +49.7082.794.0
 Betschdorf, France
 +33.3.88.90.64.90
 Warsaw, Poland
 +48.22.209.98.35
 Assago, Italy
 +39.02.932.7141
 Chat with us:
 nvent.com/schroff

Asia
 Shanghai, China
 +86.21.2412.6943
 Qingdao, China
 +86.532.8771.6101
 Singapore
 +65.6768.5800
 Shin-Yokohama, Japan
 +81.45.476.0271
 Chat with us:
 nvent.com/schroff

Middle East & India
 Dubai, United Arab
 Emirates
 +971.4.378.1700
 Bangalore, India
 +91.80.6715.2001
 Istanbul, Turkey
 +90.216.250.7374
 Chat with us:
 nvent.com/schroff



???????????:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE